

Sample half-timbered facade, Supporting Wall Connection Frame and Terrazza Pure

Brick facade

Plaster facade with thermal insulation



Sample brick facade, Supporting Wall Connection Frame and Terrazza Sempra



Sample heavily insulated house facade, Supporting Wall Connection Frame and Terrazza Originale



Sample prefabricated house on studding Supporting Wall Connection Frame and weinor PergoTex II

Areas of use Supporting Wall Connection Frame








Supporting Wall Connection Frame – for stable weather protection

Facades and walls are always different in nature. Some are not suitable for supporting heavy loads, such as patio roofs or pergola awnings. But this is no problem with the Supporting Wall Connection Frame from weinor!

It allows the secure mounting of Terrazza patio roofs and the weinor PergoTex II pergola awning where installation was previously impossible. Because the Supporting Wall Connection Frame only needs to be connected to the building facade at a few points. The load from above is therefore reliably supported by the wall posts instead of the brickwork – as is otherwise usual. So you can enjoy your protected patio even with difficult surfaces.



The Supporting Wall Connection Frame is mounted to the brickwork at the top by the crossbeam and to the floor at the bottom. As a result, it safely absorbs the forces of the attached weather protection.

CLEVER PROBLEM SOLVERS!

You can now fulfil your weinor patio dream with the Supporting Wall Connection Frame – even with difficult surfaces such as heavily insulated facades. All Terrazza patio roofs from weinor and the weinor PergoTex II pergola awning can be reliable mounted to it – quickly, safely and attractively.

Your advantages:

- Top stability and strength
- Visually and technically coordinated
- Supporting Wall Connection Frame and add-on product made of high-quality aluminium with the same powder coating – no mixing of materials!
- Reliable impermeability at the joins
- Optional addition to vertical awnings and glazing elements – for improved weather protection

• For larger systems: flexible and therefore inconspicuous placement of the middle post is possible

Technical data

Width (one-piece) Width (two-piece) Standard post length

Depth of add-on product Terrazza patio roofs 4.0 m - 4.5 m;

Max. 7.0 m Max. 14.0 m

> Up to 2.95 m/longer posts on request Max. 5.0 m without middle post (depending on roof size and snow load)

weinor PergoTex II 6.5 m



The wall mounting provides stability

under windy conditions, the posts

bear the load from above due to

their own weight or snow load.

For larger systems, the required middle post can be positioned flexibly.











Discover more about the weinor weather protection systems which you can combine with the Supporting Wall Connection Frame in our brochures, under weinor.de or from your weinor retailer.



weinor GmbH & Co. KG Mathias-Brüggen-Straße 110 D-50829 Cologne | Germany weinor.com

Your weinor retailer will be pleased to advise you:



Patent no FP 1936062 FP 3168410
FP 1936062 FP 3168410
EP 1936061 EP 322880
EP 2072709 EP 3246500
EP 2202376 EP 3591135
EP 2383402 EP 3392425
EP 2631386